



Bangalore South City Corporation

Medical Officer (Jayanagar) Zone, Bharatha Ratna Sir.M Vishweshwaraiah
Complex, 7 th Floor,Bengaluru-560011.

No. BBMP/MOH/PR/54/2026-27

Date:02-04-2026

PROFORMA REGARDING NOC & SAFE DRINKING WATER AND SANITARY CONDITION CERTIFICATE

It is Certified that an inspection team headed by Medical officer of Health and their team from Health Department inspected the "AIKYA WORLD SCHOOL" Located at No. 128, 38TH CROSS,EAST END MAIN ROAD,9TH BLOCK, BANGALORE -560069, on Date:31.03.2026 found that the "AIKYA WORLD SCHOOL" And is having provision for running water in the toilets and maintaining the hygienic sanitation condition in the school building & the campus as per the norms prescribed by the central / state / U.T Govt

CONDITIONS

- 1.THE ABOVE NOC IS VALID FOR THE PERIOD OF ONE YEAR FROM THE DATE OF ISSUE
2. DRINKING WATER SHOULD BE TESTED ONCE IN 03 MONTHS & THE REPORT SHOULD BE SUBMITTED TO THIS OFFICE WITH OUT FAIL
3. SANITATION AND HYGIENE OF THE SCHOOL PREMISES SHOULD BE MATINTA

[Handwritten signature]
SMB/169

[Handwritten signature]
Medical Officer of Health
ಜಯನಗರ ವಿಸ್ವಕಲಾಶಾಲೆ
Jayanagar
ಜಯನಗರ ವಿಭಾಗ
BBMP

ಜಯನಗರ ದಕ್ಷಿಣ ನಗರ ಪಾಲಿಕೆ

DR. MADHUSUDHAN

To
"AIKYA WORLD SCHOOL"

No. 128,
38TH CROSS,
EAST END MAIN ROAD,
9TH BLOCK JAYANAGAR
BANGALORE -560069

TRANSLATION FROM KANNADA LANGUAGE TO ENGLISH LANGUAGE

ROUND SEAL TRANSLATION: OFFICE OF THE MEDICAL OFFICER OF HEALTH,
BANGALORE SOUTH CITY CORPORATION, JAYANAGAR DIVISION.

Bangalore South City Corporation

Medial Officer (Jayanagar) Zone, Bharatha Ratna Sir M.Vishweshwaraiah Complex,
7th Floor, Bengaluru-560011.

No. BBMP/MOH/PR/54/2026-2027

Date:02/04/2026

**PROFORMA REGARDING NOC & SAFE DRINKING WATER AND SANITARY
CONDITION CERTIFICATE**

It is Certified that an inspection team headed by Medical officer of Health and their team from Health Department inspected the "AIKYA WORLD SCHOOL" located at No. 128, 38TH CROSS, EAST END MAIN ROAD, 9TH BLOCK, JAYANAGAR, BANGALORE -560069, on Date: 31.03.2026 found that the "AIKYA WORLD SCHOOL" and is having provision for running water in the toilets and maintaining the hygienic sanitation condition in the school building & the campus as per the norms prescribed by the central/state/U.T Govt.

CONDITIONS

THE ABOVE NOC IS VALID FOR THE PERIOD OF **ONE YEAR** FROM THE DATE OF ISSUE
DRINKING WATER SHOULD BE TESTED ONCE IN 03 MONTHS & THE REPORT SHOULD BE SUBMITTED TO THIS OFFICE WITH OUT FAIL
SANITATION AND HYGIENE OF THE SCHOOL PREMISES SHOULD BE MAINTAINED.

Name of the Officer: Dr. Madhusudhan

Designation : Medical Officer Of Health

Jayanagar Division, Bangalore South City Corporation

Seal Translation: Medical Officer of Health, Jayanagar Division, Bangalore South City Corporation.

To,

The Principal, **AIKYA WORLD SCHOOL** No. 128, 38TH CROSS, East End Main Road, 9TH BLOCK, JAYANAGAR, BANGALORE - 560 069.

Transialed From.....to.....



MOHAMMED HUSSAIN, K, BAL, LLB
ADVOCATE
No.717, 4th Main Road, COD Lane
K.S. Town, Kengeri Upanagara
BANGALORE - 560 060

11 MAY 2026



Bangalore South City Corporation

Medical Officer (Jayanagar) Zone, Bharatha Ratna Sir.M Vishweshwaraiah Complex, 7 th Floor,Bengaluru-560011.

No. BBMP/MOH/PR/54/2026-27

Date:02-04-2026

PROFORMA REGARDING NOC & SAFE DRINKING WATER AND SANITARY CONDITION CERTIFICATE

It is Certified that an inspection team headed by Medical officer of Health and their team from Health Department inspected the "AIKYA WORLD SCHOOL" Located at No. 128, 38TH CROSS,EAST END MAIN ROAD,9TH BLOCK, BANGALORE -560069, on Date:31.03.2026 found that the "AIKYA WORLD SCHOOL" And is having provision for running water in the toilets and maintaining the hygienic sanitation condition in the school building & the campus as per the norms prescribed by the central / state / U.T Govt

CONDITIONS

1. THE ABOVE NOC IS VALID FOR THE PERIOD OF ONE YEAR FROM THE DATE OF ISSUE
2. DRINKING WATER SHOULD BE TESTED ONCE IN 03 MONTHS & THE REPORT SHOULD BE SUBMITTED TO THIS OFFICE WITH OUT FAIL
3. SANITATION AND HYGIENE OF THE SCHOOL PREMISES SHOULD BE MATINTA

[Handwritten Signature]
SMB/169

[Handwritten Signature]
Medical Officer of Health
Jayanagar
ಜಯನಗರ ವಿಭಾಗ
BBMP
ಬೆಂಗಳೂರು ದಕ್ಷಿಣ ನಗರ ಪಾಲಿಕೆ
DR. MADHUSUDHAN

To
"AIKYA WORLD SCHOOL"
No. 128,
38TH CROSS,
EAST END MAIN ROAD,
9TH BLOCK JAYANAGAR
BANGALORE -560069

[Handwritten Signature]
MANAGER
AIKYA WORLD SCHOOL
CA No.128, 38th Cross, East End Main
Road, Jayanagar 9th Block,
Bangalore - 560 069.

[Handwritten Signature]
PRINCIPAL
AIKYA WORLD SCHOOL
CA No.128, 38th Cross, East End Main
Road, Jayanagar 9th Block,
Bangalore - 560 069.

TRANSLATION FROM KANNADA LANGUAGE TO ENGLISH LANGUAGE

ROUND SEAL TRANSLATION: OFFICE OF THE MEDICAL OFFICER OF HEALTH,
BANGALORE SOUTH CITY CORPORATION, JAYANAGAR DIVISION.

Bangalore South City Corporation

Medial Officer (Jayanagar) Zone, Bharatha Ratna Sir M.Vishweshwaraiah Complex,
7th Floor, Bengaluru-560011.

No. BBMP/MOH/PR/54/2026-2027

Date:02/04/2026

**PROFORMA REGARDING NOC & SAFE DRINKING WATER AND SANITARY
CONDITION CERTIFICATE**

It is Certified that an inspection team headed by Medical officer of Health and their team from Health Department inspected the "AIKYA WORLD SCHOOL" located at No. 128, 38TH CROSS, EAST END MAIN ROAD, 9TH BLOCK, JAYANAGAR, BANGALORE -560069, on Date: 31.03.2026 found that the "AIKYA WORLD SCHOOL" and is having provision for running water in the toilets and maintaining the hygienic sanitation condition in the school building & the campus as per the norms prescribed by the central/state/U.T Govt.

CONDITIONS

THE ABOVE NOC IS VALID FOR THE PERIOD OF **ONE YEAR** FROM THE DATE OF ISSUE
DRINKING WATER SHOULD BE TESTED ONCE IN 03 MONTHS & THE REPORT SHOULD BE SUBMITTED TO THIS OFFICE WITH OUT FAIL
SANITATION AND HYGIENE OF THE SCHOOL PREMISES SHOULD BE MAINTAINED.

Name of the Officer: Dr. Madhusudhan

Designation : Medical Officer Of Health
Jayanagar Division, Bangalore South City Corporation

Seal Translation: Medical Officer of Health, Jayanagar Division, Bangalore South City Corporation.

To,
The Principal, **AIKYA WORLD SCHOOL** No. 128, 38TH CROSS, East End Main Road, 9TH BLOCK, JAYANAGAR, BANGALORE - 560 069.

Mohammed Hussain K.
MOHAMMED HUSSAIN. K, BAL,LLB
ADVOCATE
No.717, 4th Main Road, COD Lane
K.S. Town, Kengeri Upanagara
BANGALORE - 560 060

Transialed From *Kannada* to *English*



11 MAY 2026

MANAGER
AIKYA WORLD SCHOOL
CA No.128, 38th Cross, East End Main
Road, Jayanagar 9th Block,
Bangalore - 560 069.

PRINCIPAL
AIKYA WORLD SCHOOL
CA No.128, 38th Cross, East End Main
Road, Jayanagar 9th Block,
Bangalore - 560 069.



RURAL DRINKING WATER & SANITATION DEPARTMENT, GoK
Bengaluru Urban Divisional Laboratory-Banashankari, Bangalore-560070.
NABL Accredited Laboratory Bangalore urban

TEST REPORT	
Address of the sampling location :- AIKYA WORLD SCHOOL No. 128, 38 th Cross East End Main Road Jayanagar 9 th Block Bengaluru-560069	Report date: 12/03/2026
	Report Number:006
	Reference: TRF
	Sample Code:006
	Date of Sample collection: 11/03/2026
	Analysis start date: 11/03/2026
	Analysis completion date: 12/03/2026
	Sample quantity: 1 Liter
Sample Particulars: R O water	

Sl. No	Test	Results	Acceptable Limit IS 10500 : 2012 RA:2018	Permissible Limit IS 10500 : 2012 RA:2018	Protocol
Description: Colourless liquid					
1	pH Value @25°C Temp	7.2	6.5 – 8.5	No relaxation	IS 3025 (Part-11) : 2022
2	Specific Conductance, $\mu\text{S}/\text{cm}$ @25°C Temp	120	-	-	IS 3025 (Part-14) : 2013
3	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-5 & 6):2018
4	Colour, Hazen Units	< 1.0	5	15	IS 3025 (Part-4) : 2021
5	Turbidity, NTU	0.0	1	5	IS 3025 (Part-10) : 2023
6	Total Dissolved Solids, mg/l @180°C	70	500	2000	IS 3025 (Part-16) : 2023
7	Alkalinity as CaCO_3 , mg/l	24.0	200	600	IS 3025 (Part-23) : 2023
8	Total Hardness as CaCO_3 , mg/l	31.7	200	600	IS 3025 (Part-21) : 2009
9	Calcium as Ca, mg/l	7.9	75	200	IS 3025 (Part-40) : 1991
10	Magnesium as Mg, mg/l	2.9	30	100	IS 3025 (Part-46) : 2023
11	Chloride as Cl, mg/l	9.5	250	1000	IS 3025 (Part-32) : 1988
12	Sulphate as SO_4 , mg/l	6.5	200	400	IS 3025 (Part-24) : 2022
13	Fluoride as F, mg/l	NIII	1	1.5	APHA 24 th Edition
14	Nitrate as NO_3 , mg/l	NIII	45	No relaxation	APHA 24 th Edition
15	Iron as Fe, mg/l	NIII	1	No relaxation	IS 3025 (Part-53) : 2003

Remark: The above given sample conforms to the Acceptable limits as per IS 10500:2012 drinking water specifications for the above mentioned parameters only.

Analysed by: Megha K.S
Senior Analyst/Junior Analyst



Authorized Signatory: Pavithra B.S
Technical Manager: Pavithra B.S

RDWSD/WQMSP/TeR/01

Note:

- 1) The above results relate only to the sample tested.
- 2) The report shall not be reproduced except in full without the prior approval of the Quality Manager.
- 3) Traceability: Traceability of measurements is established using CRMs traceable to National/International standards.
- 4) Samples will be discarded after 15 days from the date of report generation.
- 5) Decision rule is applicable as per the procedure mentioned in RDWSD/WQMSP/DR-01

---END---



RURAL DRINKING WATER & SANITATION DEPARTMENT, GoK
Bengaluru Urban Divisional Laboratory-Banashankari, Bangalore-560070.
NABL Accredited Laboratory Bangalore urban

TEST REPORT

Address of the sampling location :-

AIKYA WORLD SCHOOL

No. 128, 38th Cross East End Main Road Jayanagar 9th
Block Bengaluru-560069

Report date: 12/03/2026

Report Number:006

Reference: TRF

Sample Code:006

Date of Sample collection: 11/03/2026

Analysis start date: 11/03/2026

Analysis completion date: 12/03/2026

Sample quantity: 1 Liter

Sample Particulars: R O water

Sl. No	Test	Results	Acceptable Limit IS 10500 : 2012 RA:2018	Permissible Limit IS 10500 : 2012 RA:2018	Protocol
Description: Colourless liquid					
1	pH Value @25°C Temp	7.2	6.5 – 8.5	No relaxation	IS 3025 (Part-11) : 2022
2	Specific Conductance, $\mu\text{S}/\text{cm}$ @25°C Temp	120	-	-	IS 3025 (Part-14) : 2013
3	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-5 & 6):2018
4	Colour, Hazen Units	< 1.0	5	15	IS 3025 (Part-4) : 2021
5	Turbidity, NTU	0.0	1	5	IS 3025 (Part-10) : 2023
6	Total Dissolved Solids, mg/l @180°C	70	500	2000	IS 3025 (Part-16) : 2023
7	Alkalinity as CaCO_3 , mg/l	24.0	200	600	IS 3025 (Part-23) : 2023
8	Total Hardness as CaCO_3 , mg/l	31.7	200	600	IS 3025 (Part-21) : 2009
9	Calcium as Ca, mg/l	7.9	75	200	IS 3025 (Part-40) : 1991
10	Magnesium as Mg, mg/l	2.9	30	100	IS 3025 (Part-46) : 2023
11	Chloride as Cl, mg/l	9.5	250	1000	IS 3025 (Part-32) : 1988
12	Sulphate as SO_4 , mg/l	6.5	200	400	IS 3025 (Part-24) : 2022
13	Fluoride as F, mg/l	Nil	1	1.5	APHA 24 th Edition
14	Nitrate as NO_3 , mg/l	Nil	45	No relaxation	APHA 24 th Edition
15	Iron as Fe, mg/l	Nil	1	No relaxation	IS 3025 (Part-53) : 2003

Remark: The above given sample conforms to the Acceptable limits as per IS 10500:2012 drinking water specifications for the above mentioned parameters only.

Analysed by: Megha K.S
Senior Analyst/Junior Analyst



Authorized Signatory: Pavithra B.S
Technical Manager: Pavithra B.S

RDWSD/WQMSP/TeR/01

Note:

- 1) The above results relate only to the sample tested.
- 2) The report shall not be reproduced except in full without the prior approval of the Quality Manager.
- 3) Traceability: Traceability of measurements is established using CRMs traceable to National/International standards.
- 4) Samples will be discarded after 15 days from the date of report generation.
- 5) Decision rule is applicable as per the procedure mentioned in RDWSD/WQMSP/DR-01

MANAGER

AIKYA WORLD SCHOOL
CA No.128, 38th Cross, East End Main
Road, Jayanagar 9th Block,
Bangalore - 560 069.

---END---

PRINCIPAL

AIKYA WORLD SCHOOL
CA No.128, 38th Cross, East End Main
Road, Jayanagar 9th Block,
Bangalore - 560 069.

Page 1 of 1